

## ANALYTICA CHIMICA ACTA, VOL. 274 (1993)

## AUTHOR INDEX

- Abe, S.  
—, Sone, T., Fujii, K. and Endo, M.  
Liquid-liquid extraction of transition metal ions with macrocyclic Schiff bases containing phenol or thiophene subunits 141
- Alder, J.F., see Thomas, C.L.P. 171, 179
- Allegri, G., see Sturaro, A. 163
- Alves, J.L.  
— and Ditzler, M.A.  
A study of the effect of chain length on nearest neighbour interactions of immobilized species 361
- Andreae, M.O., see Cai, Y. 243
- Barnes, D.E.  
—, Taylor, M.J.C., Marshall, G.D. and Van Staden, J.F.  
Extraction of dicyanoaurate(I) using supported liquid membranes in a flow-injection manifold: evaluation of extractants 283
- Battiston, G., see Sturaro, A. 163
- Bergveld, P., see Luo, J. 7
- Bier, F.F., see Jockers, R. 185
- Boelens, H.F.M., see Van den Bogaert, B. 71, 87
- Borzitsky, J.A.  
—, Dvinin, A.V., Petrukhin, O.M. and Urusov, Yu.I.  
Segmental flow injection with ion-selective electrodes for the determination of fluoride in water 125
- Bos, M., see Luo, J. 7
- Bosch, E., see Rosés, M. 147
- Brown, R.B., see Liu, D. 37
- Cai, Y.  
—, Rapsomanikis, S. and Andreae, M.O.  
Determination of butyltin compounds in sediment using gas chromatography-atomic absorption spectrometry: comparison of sodium tetrahydroborate and sodium tetrathylborate derivatization methods 243
- Carlsen, M.  
—, Christensen, L.H. and Nielsen, J.  
Flow-injection analysis for the measurement of penicillin V in fermentation media 117
- Christensen, L.H., see Carlsen, M. 117
- Christie, I.M.  
—, Vadgama, P. and Lloyd, S.  
Modification of electrode surfaces with oxidised phenols to confer selectivity to amperometric biosensors for glucose determination 191
- Colin, J.P., see Cristante, M. 303
- Cristante, M.  
—, Selves, J.-L., Grassy, G. and Colin, J.P.  
Structure-activity relationship study on paraffin inhibitors for crude oils (INIPAR model II) 303
- Degn, H.  
— and Frigaard, N.-U.  
Membrane inlet manometry for the measurement of water activity in aqueous and organic solutions 355
- De la Guardia, M., see Galignani, M. 267
- Ditzler, M.A., see Alves, J.L. 361
- Doretto, L., see Sturaro, A. 163
- Dvinin, A.V., see Borzitsky, J.A. 125
- Endo, M., see Abe, S. 141
- Fernández-Romero, J.M.  
—, Luque de Castro, M.D. and Valcárcel, M.  
Approaches to the development of spectrophotometric reaction-rate methods by use of immobilized enzymes in continuous-flow systems 99
- Fielden, P.R., see Thomas, C.L.P. 179
- Förster, E.  
—, Silva, M., Otto, M. and Pérez-Bendito, D.  
Enzymatic determination of alcohol mixtures at the nanogram level by the stopped-flow technique 109
- Franek, M.  
— and Krivan, V.  
Determination of sub-ng g<sup>-1</sup> concentrations of thorium and uranium in microelectronic materials by radiochemical neutron activation analysis 317
- Frigaard, N.-U., see Degn, H. 355
- Fujii, K., see Abe, S. 141
- Fujiwara, M.  
—, Matsushita, T., Kobayashi, T., Yamashoji, Y. and Tanaka, M.  
Preparation of an anion-exchange resin with quaternary phosphonium chloride and its adsorption behaviour for noble metal ions 293
- Gabor, G., see Walt, D.R. 47
- Galignani, M.  
—, Garrigues, S. and De la Guardia, M.  
Direct determination of benzene in gasoline by flow-injection Fourier transform infrared spectrometry 267

- Garcia Mateo, J.V.  
— and Martínez Calatayud, J.  
Entrapped copper(II) carbonate for indirect determination of glycine by flow injection atomic absorption spectrometry 275
- Garrigues, S., see Galignani, M. 267
- Goldberg, H.D., see Liu, D. 37
- Goyet, C., see Walt, D.R. 47
- Grassy, G., see Cristante, M. 303
- Guan, J.S., see Yang, X.J. 237
- Islam, M.A., see Stephen, W.I. 335, 347
- Iwamoto, E.  
—, Shimazu, H., Yokota, K. and Kumamaru, T.  
Atomization of tin in saline water media in graphite furnace atomic absorption spectrometry with a tungsten-coated tube using palladium as a chemical modifier 231
- Jiménez de Blas, O., see Rodríguez Martín, V. 367
- Jin, W., see Qu, L. 65
- Jockers, R.  
—, Bier, F.F., Schmid, R.D., Wachtveitl, J. and Oesterhelt, D.  
Herbicide biosensor based on photobleaching of the reaction centre of *Rhodobacter sphaeroides* 185
- Johansson, K.  
—, Örnemark, U. and Olin, Å.  
Solid-phase extraction procedure for the determination of selenium by capillary gas chromatography 129
- Kamo, N., see Kurosawa, S. 209
- Katsu, T., see Watanabe, K. 59
- Katsura, T., see Mizutani, F. 201
- Kitajima, H., see Kurosawa, S. 209
- Kobayashi, T., see Fujiwara, M. 293
- Krähenbühl, U., see Langenauer, M. 253
- Krivan, V., see Franck, M. 317
- Krivan, V., see Wildhagen, D. 257
- Kulys, J.  
—, Wang, L. and Maksimoviene, A.  
L-Lactate oxidase electrode based on methylene green and carbon paste 53
- Kumamaru, T., see Iwamoto, E. 231
- Kuroda, Y., see Michigami, Y. 299
- Kurosawa, S.  
—, Kitajima, H., Ogawa, Y., Muratsugu, M., Nemoto, E. and Kamo, N.  
Resonant frequency of a piezoelectric quartz crystal in contact with solutions 209
- Langenauer, M.  
—, Krähenbühl, U. and Wyttenbach, A.  
Determination of fluorine and iodine in biological materials 253
- Leech, D.  
— and Rechnitz, G.A.  
Crayfish walking leg neuronal biosensor for the detection of pyrazinamide and selected local anesthetics 25
- Liu, D.  
—, Meyerhoff, M.E., Goldberg, H.D. and Brown, R.B.  
Potentiometric ion- and bioselective electrodes based on asymmetric polyurethane membranes 37
- Lloyd, S., see Christie, I.M. 191
- Lu, J., see Wang, J. 219
- Luo, J.  
—, Olthuis, W., Bergveld, P., Bos, M. and Van der Linden, W.E.  
Modelling of coulometric sensor-actuator systems based on ISFETs with a porous actuator covering the gate 7
- Luque de Castro, M.D., see Fernández-Romero, J.M. 99
- Lyle, S.J.  
— and Yassin, S.S.  
Polarographic studies of metal ion complexes of Ampicillin and Amoxycillin 225
- Maksimoviene, A., see Kulys, J. 53
- Marshall, G.D., see Barnes, D.E. 283
- Martínez Calatayud, J., see Garcia Mateo, J.V. 275
- Matsushita, T., see Fujiwara, M. 293
- Meyerhoff, M.E., see Liu, D. 37
- Michigami, Y.  
—, Kuroda, Y., Ueda, K. and Yamamoto, Y.  
Determination of urinary fluoride by ion chromatography 299
- Mizutani, F.  
—, Yabuki, S. and Katsura, T.  
Amperometric enzyme electrode with fast response to glucose using a layer of lipid-modified glucose oxidase and Nafion anionic polymer 201
- Muratsugu, M., see Kurosawa, S. 209
- Nemoto, E., see Kurosawa, S. 209
- Nielsen, J., see Carlsen, M. 117
- Oesterhelt, D., see Jockers, R. 185
- Ogawa, Y., see Kurosawa, S. 209
- Okada, K., see Watanabe, K. 59
- Olin, Å., see Johansson, K. 129
- Olthuis, W., see Luo, J. 7
- Örnemark, U., see Johansson, K. 129
- Otto, M., see Förster, E. 109
- Parvoli, G., see Sturaro, A. 163
- Pérez-Bendito, D., see Förster, E. 109
- Petrukhin, O.M., see Borzitsky, J.A. 125
- Przybylko, A.R.M., see Thomas, C.L.P. 179
- Qu, L.  
— and Jin, W.  
Adsorption voltammetry of the gallium-morin system 65
- Rapsomanikis, S., see Cai, Y. 243
- Rechnitz, G.A., see Leech, D. 25
- Rodríguez Martín, V.  
— and Jiménez de Blas, O.

- Numerical treatment of titrations with the formation of a reasonably stable complex: titration of thiocyanate with Hg(II) 367
- Rosés, M.  
— and Bosch, E.  
Linear solvation energy relationships in reversed-phase liquid chromatography. Prediction of retention from a single solvent and a single solute parameter 147
- Saito, M.  
Influence of operating parameters on ion intensity in glow discharge mass spectrometry 327
- Schmid, R.D., see Jockers, R. 185
- Selves, J.-L., see Cristante, M. 303
- Shimazu, H., see Iwamoto, E. 231
- Silva, M., see Förster, E. 109
- Smit, H.C., see Van den Bogaert, B. 71, 87
- Snook, R.D., see Thomas, C.L.P. 179
- Sone, T., see Abe, S. 141
- Stephen, W.I.  
— and Islam, M.A.  
3,5,6-Trisubstituted 1,2,4-triazines as analytical reagents. Part I. Compounds containing the feroin functional group or iron(II)-methine chromophore 335  
— and Islam, M.A.  
3,5,6-Trisubstituted 1,2,4-triazines as analytical reagents. Part II. Compounds containing the cuproine functional group 347
- Sturaro, A.  
—, Parvoli, G., Doretto, L., Zanchetta, S., Allegri, G. and Battiston, G.  
Simultaneous determination of trace metals in human hair by dynamic ion-exchange chromatography 163
- Tanaka, M., see Fujiwara, M. 293
- Taylor, M.J.C., see Barnes, D.E. 283
- Thomas, C.L.P.  
— and Alder, J.F.  
Effect of relative humidity on the performance of a platinum-lead denuder for the adsorption of nitrobenzene 171  
—, Alder, J.F., Fielden, P.R., Przybylko, A.R.M., Snook, R.D. and Watson, A.F.R.  
Precision humidifier for dynamic test atmosphere generators 179
- Tian, B., see Wang, J. 1
- Ueda, K., see Michigami, Y. 299
- Urusov, Yu.I., see Borzitsky, J.A. 125
- Vadgama, P., see Christie, I.M. 191
- Valcárcel, M., see Fernández-Romero, J.M. 99
- Van den Bogaert, B.  
—, Boelens, H.F.M. and Smit, H.C.  
Evaluation and correction of signal model errors in a matched filter for the quantification of chromatographic data 71  
—, Boelens, H.F.M. and Smit, H.C.  
Quantification of chromatographic data using a matched filter: robustness towards noise model errors 87
- Van der Linden, W.E., see Luo, J. 7
- Van Staden, J.F., see Barnes, D.E. 283
- Wachtveitl, J., see Jockers, R. 185
- Walt, D.R.  
—, Gabor, G. and Goyet, C.  
Multiple-indicator fiber-optic sensor for high-resolution pCO<sub>2</sub> sea water measurements 47
- Wang, J.  
— and Lu, J.  
Ultratrace measurements of selenium by cathodic stripping voltammetry in the presence of rhodium 219  
— and Tian, B.  
Screen-printed electrodes for stripping measurements of trace mercury 1
- Wang, L., see Kuly, J. 53
- Watanabe, K.  
—, Okada, K. and Katsu, T.  
Determination of methamphetamine in urine in situ using a methamphetamine-sensitive membrane electrode 59
- Watson, A.F.R., see Thomas, C.L.P. 179
- Wildhagen, D.  
— and Krivan, V.  
Determination of platinum in environmental and geological samples by radiochemical neutron activation analysis 257
- Wytenbach, A., see Langenauer, M. 253
- Yabuki, S., see Mizutani, F. 201
- Yamamoto, Y., see Michigami, Y. 299
- Yamashoji, Y., see Fujiwara, M. 293
- Yang, X.J.  
— and Guan, J.S.  
Application of inductively coupled plasma atomic emission spectrometry for the certificate analysis of uranium certified reference material: determination of trace impurity elements in U<sub>3</sub>O<sub>8</sub> by extraction chromatography 237
- Yassin, S.S., see Lyle, S.J. 225
- Yokota, K., see Iwamoto, E. 231
- Zanchetta, S., see Sturaro, A. 163